


1 Quartz/Halogen Lamps

Watts	City Lights Number	Bulb Type	Bulb Base	Code & Description	Lumens	Volts	Nominal MOL	Avg. Life Hours	Filament
5	16015			5RLV/festoon/frost		24			
5	11280	T3	G4	Q5T3/clear	60	12	1-1/4"	2000	C-6
5	14814	T3	BA9S	Q5T3		12	1-1/4"	2000	C-6
10	11727	T4	G4	Q10T3/clear	140	12	1-1/4"	2000	C-6
20	14887	T3	G4	Q20T3/clear	140	6		2000	C-6
20	15102	SC	BA15S	Q20SC/clear	320	12	1-1/4"	2000	C-6
20	13515	T3	G4	Q20T3/clear	320	12	1-1/4"	2000	C-6
20	15485	T3	G4	Q20T3/clear	320	12	1-13/16"	2000	C-6
20	15557	T4	G8	Q20T4/clear	320	120	1-13/16"	2000	CC2-V
20	14463	T3	G8	Q20T3/clear	350	24	1-1/4"	2000	CC-6
20	15773	T4	G8	Q20T4/short 35mm		130		2000	CC-6
20	15771	T4	G8	Q20T4/42mm	180	120	1-13/16"	2000	CC-2V
35	13664	T4	G8	Q35T4/clear	550	12	1-3/4"	2000	C-6
35	15955	T4	G8	Q35T4/clear	400	120	1-3/4"	2000	CC-2V
35	15911	T4	G8	Q35T4/clear	400	130	1-13/16"	2000	CC-2V
35	13813	T4	G8	Q35T4/clear	400	120	1-13/16"	2000	CC-2V
35	14111	T4	DC	Q35T4/DC/clear	400	120	2-3/32"	2000	CC-2V
35	10141	T4	E11	Q35T4/MC/clear	400	120	2-5/16"	2000	CC-2V
40	16083	T4	G9	Q40T4/frost	450	120	1-25/32"	2000	CC-2V
40	16091	T4	G9	Q40T4/clear	500	120	1-25/32"	2000	CC-2V
40	16066	T3	Cand	Q40T3/W/frost/KX40E12	560	120	2-5/16"	2000	CC-8
40	16000	T3	Med	Q40T3/W/clear/T-shape		120		2000	
50	15929	T4	DC	Q50T4/DC/frost	675	120	2-3/32"	2000	CC-2V
50	14202	T4	G8	Q50T4/frost	850	12	1-3/4"	2000	C-6
50	10439	T4	G8	Q50T4/clear	900	12	1-3/4"	2000	C-6
50	10588	T4	G8	Q50T4/clear	850	24	1-3/4"	2000	CC-6
50	12158	T4	DC	Q50T4/DC/clear	750	120	2-3/32"	2000	CC-2V
50	10886	T4	MC	Q50T4/MC/clear	750	120	2-5/16"	2000	CC-2V
50	15783	T4	G8	Q50T4/clear	750	120	2"	2000	CC-2V
50	14313	T4	G8	Q50T4/clear	750	120	1-13/16"	2000	CC-2V




BA9s



T3




E11/MC



T4

2 Quartz/Halogen Lamps

Watts	City Lights Number	Bulb Type	Bulb Base	Code & Description	Lumens	Volts	Nominal MOL	Avg. Life Hours	Filament
55	11035		P14.5s	Q55W/H1/clear		12			
55	11184			Q55WD/IDflat/H3/clear		12			
60	11482	MC	E11	Q60W/MC/KX60/clear	960	120	2-5/16"	3000	CC-8
60	16023	MC	E11	Q60W/MC/KX60/frost	950	120	2-5/16"	3000	CC-8
75	14716	T3	R7s	Q75T3/clear	1200	130	3-1/8"	2000	CC-8
75	12525	MC	E11	Q75MC/clear	1250	120	2-11/16"	2000	CC-8
70	11631			Q70/JA/H3/wire PAbase		24			
75	13270	T4	DC	Q75/DC/clear	1250	120		2000	CC-8
75	14440	T4	DC	Q75/DC/clear	1250	120	2-13/32"	2000	CC-8
75	13787	T4	DC	Q75/DC/clear	1250	120	2-13/32"	2000	CC-8
75	14806	T10	Med	Q75/clear	1050	130	4"	2000	CD-1
75	14992	T10	Med	Q75/T10/clear	1050	120	4"	2000	CD-1
100	16090			HLX64638/clear		24			
100	10194	T4	GY6.35	Q100/GY6.35/clear	1600	12		2000	
100	15574	T3	R7s	Q100T3/clear	1650	130	4-11/16"	2000	C-8
100	12307	T3	R7s	Q100T3/clear	1650	130	3-1/8"	2000	C-8
100	15111			Q100W/JA/H3/wire PA base		12		2000	
100	10045			Q100/GY6.35/clear		12		2000	
100	14735		Med	Q100/clear	1600	130		2000	CC-8
100	11386	T4	DC	Q100/DC/ESR/clear	1600	120	2-1/2"	2000	CC-8
100	13025	T4	DC	Q100/DC/ETD/frost	1600	120	2-1/2"	2000	CC-2V
100	14961	T4	GY6.35	Q100/GY6.35/clear	1600	120	2-3/8"	2000	CC-8
100	13868	T4	MC	Q100/MC/ESN/clear		120	2-7/8"	2000	CC-8
100	13866		Med	Q100T10/frost	1450	120	4"	2000	CC-8
100	14868		Med	Q100T10/clear	1500	120	4"	2000	CD-1
100	12876		DC	Q100W/JCV/GB2/ESR/clear		120		2000	CD-1




E11/MC



T10



DC



T4

Local Numbers
Phone: 602 233 2552
Fax: 602 233 1102



FOR HELP PLEASE CALL OUR
TOLL FREE NUMBERS
Phone: 877 615 4448
Fax: 877 432 8527
www.citylightsphx.com

4 Quartz/Halogen Lamps

Watts	City Lights Number	Bulb Type	Bulb Base	Code & Description	Lumens	Volts	Nominal MOL	Avg. Life Hours	Filament
500	13078	T3	R7s	Q500T3/FCL/clear	9500	130	4-11/16"	2000	C-8
500	13972	T4	DC	Q500/DC/clear	8500	120	3-3/4"	2000	C-8
500	14215	T4	DC	Q500/DC/frost	7600	130	3-3/4"	2000	C-8
500	10300	T4	MC	Q500/MC/frost	7650	120	3-3/4"	2000	C-8
500	10151	T4	MC	Q500/MC/clear	8500	120	3-3/4"	2000	C-8
500	12833	T4	DC	QH500T3/7/clear		120	8-5/8"	5000	C-8
500	11196	T3	RSC	QH500T3/wire/clear		120		5000	C-8
500	13376	T3	RSC	Q500T3/clear		240	4-11/16"	5000	C-8
500	12684	T3	RSC	Q500T3/IR/Wire/clear				5000	C-8
500	12833	T3	RSC	QH500T3/7/clear		120	5-5/8"	5000	C-8
575	14932			HPL-575WX		115		2000	C-8
1000	14979	T3	R7s	Q1000T3/clear		120	7-1/2"	2000	C-8
1000	10896	T3	R7s	Q1000T3/clear	22000	120	10-1/16"	2000	C-8
1000	11343	T3	R7s	QH1000T3/clear	22000	240	10-1/16"	2000	C-8
1000	13131	T3	R7s	QIH1000T3/clear		200	10-1/16"	2000	C-8
1000	14488	T3	R7s	QIH1000/2B/tabs		240	10-1/16"	2000	C-8
1000	15931	T3	R7s	QIH1000/L		240	10-1/16"	2000	C-8
1000	13280	T3	R7s	QIH1000T3/IR/S3/20		240	10-1/16"	2000	C-8
1200	13578	T3	R7s	QH1200T3/clear		144	9"	2000	C-8
1500	11939	T3	R7s	Q1500T3/clear	33000	240	10-1/16"	2000	C-8
1500	14945	T3	R7s	Q1500T3/clear	33000	120	10-1/16"	2000	C-8
1500	11790	T3	R7s	Q1500T3/clear	33000	208	10-1/16"	2000	C-8
1500	12088	T3	R7s	Q1500T3/clear	33000	277	10-1/16"	2000	C-8
1600	14608	T3	RSC	Q1600T3/clear		240		2000	C-8

